

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6212529".pn.	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 09:18
L2	2	1 and (ID or Ids or identif\$6)	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 09:25
L3	0	1 and (password\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 09:21
L4	0	1 and (password\$3 or pass\$word\$3)	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 09:21
L5	7651	(sync\$8 or synchroniz\$6) near3 (Id or ids or identif\$6)	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 09:23
L6	5403	@AD<"20001215" and 5	US-PGPU B; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/17 09:23

L7	8050	(sync\$8 or synchroniz\$6) same (priorit\$5 or priority)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/17 11:20
L8	331	6 and 7	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/17 09:24
L9	86532	(records or record or data or set) same (priorit\$5 or priority)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/17 09:25
L10	276	8 and 9	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/17 09:25
L11	84036	parameter\$3 same (ID or Ids or identif\$6)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/17 09:26
L12	79	10 and 11	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/17 09:26

L13	11	12 and "707"/\$.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/17 09:26
L14	30107	((user or client) with (ID or identif\$7)) same ((user or client) with device\$2)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/17 11:22
L15	11	8 and 14	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2004/12/17 11:22